

## Blacklight BL368 Toughcoat T12

F40W T12 BL368 24 Toughcoat™  
0000126



### PRODUCT OVERVIEW

IPC Code	0000126
Product name	F40W T12 BL368 24 Toughcoat™
Technology	Fluorescent
Watt (Rated) (W)	40
Lamp shape	Tubular
Type	T12
Cap/Base	G13
Lamp finish	Coated
Fixture rating	Enclosed
General application	Hospitality, Retail, Residential & Consumer
Certifications	EUERL006
ETIM Class	EC002962
E-number FI	4940432
Light colour	BL368 Blacklight
Wattage (W)	40.00
Dimmable	No
Average life (Nominal) (h)	10000
Product EAN number	5410288001265

### DATA TABLE

#### General data

IPC Code	0000126
Product name	F40W T12 BL368 24 Toughcoat™
Technology	Fluorescent
Watt (Rated) (W)	40
Lamp shape	Tubular
Type	T12
Cap/Base	G13
Lamp finish	Coated
Fixture rating	Enclosed
General application	Hospitality, Retail, Residential & Consumer
Operating Temperature Range (°C)	-20°C to +40°C

## Blacklight BL368 Toughcoat T12

*F40W T12 BL368 24 Toughcoat™*  
0000126

Certifications	EUERL006
ETIM Class	EC002962
E-number FI	4940432

### Optical data

Ambient temperature for maximum luminous flux (°C)	25
Correlated colour temperature range (K)	UV-A lamp
Light colour	BL368 Blacklight
Adjustable chromaticity	N

### Electrical data

Wattage (W)	40.00
Mains voltage (V)	230-240V~
Control gear required	Yes
Transformer required	No
Dimmable	No

### Lifetime data

Average life (Nominal) (h)	10000
----------------------------	-------

### Physical data

Nominal Product Length (mm)	600.0
Nominal Product Diameter (mm)	38
Max. Length base to base (mm) - A	589.8
Length base to pin Min-Max (mm) - B	594.5-596.9
Max. Lamp Length (mm) - C/L	604.0
Max. Lamp Diameter (mm) - D	40.5
Weight (kg)	0.142

### Packaging

Single packaging type	Carton
Product EAN number	5410288001265
Packaging single length / height (cm)	60.3
Packaging single width (cm)	4.3
Packaging single depth (cm)	4.1
DUN14 (outer)	15410288001262
Units per outer package	25
Packaging outer length / height (cm)	63.0
Packaging outer width (cm)	22.0
Packaging outer depth (cm)	21.0

### Safety data

Lamp mercury content (mg)	9.00
Recommendation for disposal at end of life	Applicable
Special purpose lamp	Yes
Intended purpose	Flykilling
Suitable for household illumination	No



Blacklight BL368 Toughcoat T12  
*F40W T12 BL368 24 Toughcoat™*  
0000126

---